T Number	Hito	Search Text	DB	Time stamp
L Number	Hits 694083	detect\$4 or determin\$4 or measur\$6 or	USPAT;	2003/07/18 15:18
	094003	sens\$4 or calculat\$4 or adjust\$4 or	US-PGPUB;	2003/07/10 13:10
		compensat\$4) near6(angle or orientat\$4 or	EPO; JPO;	
		rotat\$4	DERWENT;	
		·	IBM TDB	
2	853	vanish\$4 near3 point	USPĀT;	2003/07/18 15:17
			US-PGPUB;	
			EPO; JPO;	ļ
			DERWENT;	•
			IBM_TDB	
3	20	(detect\$4 or determin\$4 or measur\$6 or	USPAT;	2003/07/18 14:14
		sens\$4 or calculat\$4 or adjust\$4 or compensat\$4) near6(angle or orientat\$4 or	US-PGPUB;	
		rotat\$4) with (vanish\$4 near3 point)	EPO; JPO; DERWENT;	
		locats4) with (vanishs4 hears point)	IBM TDB	
5	40361	focal near3 point	USPAT;	2003/07/18 14:40
	40301	local nears point	US-PGPUB;	2003,01,10 11.10
			EPO; JPO;	•
			DERWENT;	
			IBM TDB	
6.	38739	focal near point	USPĀT;	2003/07/18 14:40
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_			IBM_TDB	0000/07/10 11
7	10782	, , , , , , , , , , , , , , , , , , ,	USPAT;	2003/07/18 14:42
<u> </u>		sens\$4 or calculat\$4 or adjust\$4 or	US-PGPUB;	
		compensat\$4) near6(angle or orientat\$4 or	EPO; JPO;	
		rotat\$4) and (focal near point)	DERWENT; IBM TDB	İ
8	667687	transform\$6	USPAT;	2003/07/18 14:43
*	00/00/	Clansformage	US-PGPUB;	2003/07/10 14.43
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
9	830	(detect\$4 or determin\$4 or measur\$6 or	USPAT;	2003/07/18 14:43
		sens\$4 or calculat\$4 or adjust\$4 or	US-PGPUB;	1
		compensat\$4) near6(angle or orientat\$4 or	EPO; JPO;	
		rotat\$4) with (focal near point)	DERWENT;	
	_		IBM_TDB	0000/07/10 14 40
10	5		USPAT;	2003/07/18 14:43
		or measur\$6 or sens\$4 or calculat\$4 or adjust\$4 or compensat\$4) near6(angle or	US-PGPUB; EPO; JPO;	
		orientat\$4 or rotat\$4) with (focal near	DERWENT;	
ł		point))	IBM TDB	
15	419172	camera	USPAT;	2003/07/18 14:48
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
16	59	(vanish\$4 near3 point) with camera	USPAT;	2003/07/18 14:48
			US-PGPUB;	
			EPO; JPO;	
-			DERWENT;	
21	1.1	wanished noard naint with/profesship so	IBM TDB USPAT;	2003/07/18 14:57
21	11	vanish\$4 near3 point with(preferable or desired or optimum)	US-PGPUB;	2003/07/18 14:37
		desired or opermum/	EPO; JPO;	
			DERWENT;	
			IBM TDB	
22	29	vanish\$4 near3 point with(preferable or	USPAT;	2003/07/18 15:00
		desired or optimum or plural or many)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
28	237	vanish\$4 near3 points	USPAT;	2003/07/18 15:01
			US-PGPUB;	•
1			EPO; JPO;	
			DERWENT;	
I .	ì		IBM_TDB	

Search History 7/18/03 4:26:47 PM Page

29	17	camera with (vanish\$4 near3 points)	USPAT;	2003/07/18 15:01
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	1
			IBM TDB	
34	73	(vanish\$4 near3 point)with vertical	USPAT;	2003/07/18 15:06
		-	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	[
35	0	(vanish\$4 near3 point) with mulitple	USPAT;	2003/07/18 15:18
		•	US-PGPUB;	į .
			EPO; JPO;	
			DERWENT;	
			IBM TDB	

Search History 7/18/03 4:26:47 PM Page 2

1					
Sens%4 or calculat%4 or adjust%4 or compensat%4 near6(angle or orientat%4 or compensat%4) near6(angle or orientat%4) near6(angle orientat%4)		Hits		DB	Time stamp
Compensat4) near6(angle of orientat\$4 or rotat\$4 compensat54) near6(angle of orientat\$4 or rotat\$4 compensat54) near6(angle of orientat\$4 or rotat\$4 compensat6 comp	1	694083			2003/07/18 15:18
2 853 vanish\$4 near3 point DSRWENT; INP TOB USPAT; US-FOFUB; EFO; JPO; DERWENT; INP TOB USPAT; US-FOFUB; EFO; JPO; JPO; DERWENT; INP TOB USPAT; US-FOFUB; EFO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; JP					
2				EPO; JPO;	
20 20 20 20 20 20 20 20	į		rotat\$4	DERWENT;	
Section Sect				IBM_TDB	
3 20 (detect\$4 or determin\$4 or measur\$6 or sens\$4 or calculat\$4 or adjust\$4 or compensat\$4) near6(angle or orientat\$4 or sens\$4 or calculat\$4 or adjust\$4 or compensat\$6 or rotat\$4) with (vanish\$4 near3 point) SPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J	2	853	vanish\$4 near3 point	USPAT;	2003/07/18 17:50
Service Serv			•	US-PGPUB;	
Service Serv				EPO; JPO;	
20					
3 20 (detect\$4 or determin\$4 or measur\$6 or sens\$4 or calculat\$4 or rotat\$4 or rotat\$4) with (vanish\$4 near3 point) SPAT; USPAT; USPAT					
Sens84 or calculat84 or adjust84 or compensat84) near6 (angle or orientat84 or orientat84 or orientat84 or or orientat84 or or orientat84 or or orientat84 orient	3	20	(detect\$4 or determin\$4 or measur\$6 or		2003/07/18 17:41
Compensats4) near6(angle or orientats4 or rotats4) with (vanish84 near3 point) EPC; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPC; JPO; DERWENT; IBM TDB]	20			
Totat\$4) with (vanish\$4 near3 point)					
1			rotate() with (vanished near noint)		
2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 14: 2003/07/18 15: 2003/07/18 15: 2003/07/18 15: 2003/07/18 15: 2003/07/18 15: 2003/07/18 15: 2003/07/18 15: 2003			locacy4) with (vanishy4 hears point)	1	
Second S	٠ ا	40261	focal monry point		2003/07/18 14:40
RPO, JPO; DERWENT; DEM TOB USPAT; US-PGPUB; EFO; JPO; DERWENT; DEM TOB USPAT; US-PGPUB; DEM TOB USPAT; DEM TOB	٦	40361	local hears point		2003/07/10 14.40
Series					
Second S				L .	
38739 focal near point USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; I				1 '	
US-PGPUB; EPO; JPO; DERWENT; IBM TDB 2003/07/18 17:			<u> </u>		0000/07/10 1: :-
Total	6	38739	focal near point		2003/07/18 14:40
10782 (detect\$4 or determin\$4 or measur\$6 or sens\$4 or calculat\$4 or adjust\$4 or compensat\$4) near6(angle or orientat\$4 or compensat\$4) and (focal near point) (SPERUB); EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM				1	
TBM TDB					
10782 (detect\$4 or determin\$4 or measur\$6 or sen\$4 or calculat\$4 or adjust\$4 or compensat\$4) near6(angle or orientat\$4 or point) USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EP				DERWENT;	
Sens\$4 or calculat\$4 or adjust\$4 or compensat\$4) near6(angle or orientat\$4 or rotat\$4) and (focal near point) USPĀT; USPĀT VĀTĀT V					1
Sens\$4 or calculat\$4 or adjust\$4 or compensat\$4) near6(angle or orientat\$4 or rotat\$4) and (focal near point) US-PGPUB; EPO; JPO; DERWENT; IEM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IEM_TDB USP	7	10782	(detect\$4 or determin\$4 or measur\$6 or	USPAT;	2003/07/18 17:25
Compensat\$4) near6(angle or orientat\$4 or rotat\$4) and (focal near point)	1			US-PGPUB;	
Totat\$4) and (focal near point) DERMENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGP				EPO; JPO;	
### TOB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J			rotat\$4) and (focal near point)		1
8 667687 transform\$6 10 830 (detect\$4 or determin\$4 or measur\$6 or sens\$4 or calculat\$4 or adjust\$4 or compensat\$4) near6(angle or orientat\$4 or readjust\$4 or adjust\$4 or adjust\$4 or compensat\$4) near6(angle or orientat\$4 or adjust\$4 or adjust\$4 or compensat\$4) near6(angle or orientat\$4 or readjust\$4 or compensat\$4 or calculat\$4 or adjust\$4 or compensat\$4) near6(angle or orientat\$4 or or orientat\$4 or rotat\$4) with (focal near point) 15 419172 camera 16 59 (vanish\$4 near3 point) with camera 17 vanish\$4 near3 point with (preferable or desired or optimum) 18 vanish\$4 near3 point with (preferable or desired or optimum or plural or many) 19 vanish\$4 near3 point with (preferable or desired or optimum or plural or many) 2003/07/18 14 vish\$4 to readjust\$4 or measur\$6 or measur\$6 or measur\$6 or optimum or plural or many) 2003/07/18 14 vish\$7 to			20000, 1, una (2010) mare press,		
Sample S	Ω	667687	transform\$6		2003/07/18 14:43
Sample S	'	007007			
Sample S				•	
Sample S	j			1	
9 830 (detect\$4 or determin\$4 or measur\$6 or sens\$4 or calculat\$4 or adjust\$4 or compensat\$4) near6(angle or or orientat\$4 or rotat\$4) with (focal near point) USPĀT; US-PGPUB; EPG; JPG; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPG; JPG; DERW				1	
sens\$4 or calculat\$4 or adjust\$4 or compensat\$4) near6(angle or orientat\$4 or point) 10 5 transform\$6 with ((detect\$4 or determin\$4 or measur\$6 or sens\$4 or calculat\$4 or adjust\$4 or compensat\$4) near6(angle or orientat\$1 or measur\$6 or sens\$4 or calculat\$4 or us-PGPUB; adjust\$4 or compensat\$4) near6(angle or orientat\$4 or rotat\$4) with (focal near point)) 15 419172 camera Us-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; Us-PGPUB; EPO; JPO; DERWENT; IBM_TDB		0.20	(detected or determined or measures or		2003/07/18 14:43
compensat\$4) near6(angle or orientat\$4 or rotat\$4) with (focal near point) 10 5 transform\$6 with ((detect\$4 or determin\$4 or measur\$6 or sens\$4 or calculat\$4 or adjust\$4 or compensat\$4) near6(angle or orientat\$4 or rotat\$4) with (focal near point) 15 419172 419172 419172 419172 (vanish\$4 near3 point) with camera (vanish\$4 near3 point with(preferable or desired or optimum or plural or many) 2003/07/18 14 EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	9	830		1	2003/07/10 14:43
rotat\$4) with (focal near point) transform\$6 with ((detect\$4 or determin\$4 or measur\$6 or sens\$4 or calculat\$4 or determin\$1 us-pgpuB; epc; JPC; orientat\$4 or rotat\$4) with (focal near point) 15 419172 camera 16 59 (vanish\$4 near3 point) with camera 17 vanish\$4 near3 point with(preferable or desired or optimum) 18 vanish\$4 near3 point with(preferable or desired or optimum or plural or many) 19 vanish\$4 near3 point with(preferable or desired or optimum or plural or many) 10 vanish\$4 near3 point with(preferable or desired or optimum or plural or many) 10 vanish\$4 near3 point with(preferable or desired or optimum or plural or many) 10 vanish\$4 near3 point with(preferable or desired or optimum or plural or many) 11 vanish\$4 near3 point with(preferable or desired or optimum or plural or many)			sensity of carculacty of adjustry of	1	
TBM TDB USPAT;	i		compensative in the contract of the contract o		
transform\$6 with ((detect\$4 or determin\$4 or measur\$6 or sens\$4 or calculat\$4 or adjust\$4 or compensat\$4) near6(angle or orientat\$4 or rotat\$4) with (focal near point) 15	[rotat\$4) with (local hear point)		1
or measur\$6 or sens\$4 or calculat\$4 or adjust\$4 or compensat\$4) near6(angle or orientat\$4 or rotat\$4) with (focal near point)) 15 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419		_	Sound Country (/data=+04 and data main 04		2002/07/19 14.43
adjust\$4 or compensat\$4) near6(angle or orientat\$4 or rotat\$4) with (focal near point) 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172 419172	10	5		1	2003/07/18 14.43
orientat\$4 or rotat\$4) with (focal near point); camera 419172 419172 419172 419172 419172 Algorithm and point) with (focal near point); camera 59 (vanish\$4 near3 point) with camera 59 (vanish\$4 near3 point with (preferable or desired or optimum) 10 vanish\$4 near3 point with (preferable or desired or optimum) 21 vanish\$4 near3 point with (preferable or desired or optimum or plural or many) 22 vanish\$4 near3 point with (preferable or desired or optimum or plural or many) 419172 419172 59 (vanish\$4 near3 point with (preferable or desired or optimum or plural or many) 50 (vanish\$4 near3 point with (preferable or desired or optimum or plural or many) 50 (vanish\$4 near3 point with (preferable or desired or optimum or plural or many) 50 (vanish\$4 near3 point with (preferable or desired or optimum or plural or many)					
point)) camera TBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US			adjust\$4 or compensat\$4) nearb(angle or		1
15 419172 camera Camera USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB]			· ·	
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; ISM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB			• · · ·	_	0000/07/10 11 10
EPO; JPO; DERWENT; IBM_TDB 16	15	419172	camera		2003/0//18 14:48
16 59 (vanish\$4 near3 point) with camera 16 59 (vanish\$4 near3 point) with camera 17 vanish\$4 near3 point with(preferable or desired or optimum) 28 vanish\$4 near3 point with(preferable or desired or optimum) 29 vanish\$4 near3 point with(preferable or desired or optimum or plural or many) 2003/07/18 14 2003/07/18 14 2003/07/18 15 2003/07/18 15				\$	
16	<u> </u>				
16				1	
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB					0000/5=/15
21	16	59	(vanish\$4 near3 point) with camera		2003/07/18 14:48
21					
21				EPO; JPO;	1
21 vanish\$4 near3 point with(preferable or desired or optimum) 22 vanish\$4 near3 point with(preferable or desired or optimum or plural or many) 23 vanish\$4 near3 point with(preferable or desired or optimum or plural or many) 24 vanish\$4 near3 point with(preferable or desired or optimum or plural or many) 25 vanish\$4 near3 point with(preferable or desired or optimum or plural or many) 26 vanish\$4 near3 point with(preferable or desired or optimum or plural or many) 27 vanish\$4 near3 point with(preferable or desired or optimum) 28 vanish\$4 near3 point with(preferable or desired or optimum) 29 vanish\$4 near3 point with(preferable or desired or optimum) 2003/07/18 14	1			1	
21 vanish\$4 near3 point with(preferable or desired or optimum) 22 vanish\$4 near3 point with(preferable or desired or optimum or plural or many) 23 vanish\$4 near3 point with(preferable or desired or optimum or plural or many) 24 vanish\$4 near3 point with(preferable or desired or optimum or plural or many) 25 vanish\$4 near3 point with(preferable or desired or optimum or plural or many) 26 vanish\$4 near3 point with(preferable or desired or optimum or plural or many) 27 vanish\$4 near3 point with(preferable or desired or optimum) 28 vanish\$4 near3 point with(preferable or desired or optimum) 29 vanish\$4 near3 point with(preferable or desired or optimum) 2003/07/18 14] 1			IBM TDB	
desired or optimum) US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	21	11	vanish\$4 near3 point with(preferable or		2003/07/18 14:57
22 29 vanish\$4 near3 point with(preferable or desired or optimum or plural or many) EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB					
22 29 vanish\$4 near3 point with(preferable or desired or optimum or plural or many) DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB			• •		
vanish\$4 near3 point with(preferable or desired or optimum or plural or many) IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB					
22 29 vanish\$4 near3 point with(preferable or desired or optimum or plural or many) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB		1		1	
desired or optimum or plural or many) US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	122	20	vanish\$4 near3 point with(preferable or		2003/07/18 15:00
EPO; JPO; DERWENT; IBM_TDB	"		desired or optimum or plural or many)		
DERWENT; IBM_TDB			doubled of opermum of practat of many		
IBM_TDB					
TVB 73/TVANISNS4 near3 DOIDES TUSEAT: EZUUS/UT/T8 LS				. —	2003/07/10 15-01
120	28	237	vanisn\$4 near3 points		2003/07/18 15:01
US-PGPUB;					
EPO; JPO;					
DERWENT;		1			
IBM TDB				IBM TDB	<u> </u>

US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	3/07/18 15:01 3/07/18 15:06 3/07/18 15:18 3/07/18 16:52
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; USPAT; US-PGPUB; US-PGPU	3/07/18 15:18 3/07/18 16:52
34	3/07/18 15:18 3/07/18 16:52
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; US-PG	3/07/18 16:52
35 0 (vanish\$4 near3 point) with mulitple USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; US-PGP	3/07/18 16:52
EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	
142 853 vanish\$4 near3 point USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	3/07/18 16:51
143	3/07/18 16:51
EPO; JPO; DERWENT; IBM_TDB	
IBM_TDB	
145 34 (vanish\$4 near3 point) with rotat\$4 USPAT; 200	3/07/18 16:52
US-PGPUB; EPO; JPO;	
DERWENT; IBM_TDB USPAT; 200	3/07/18 17:00
US-PGPUB; EPO; JPO;	J, J
DERWENT; IBM_TDB USPAT; 200	3/07/18 17:18
147 665 vanish\$4 near point USPAT; 200 US-PGPUB; EPO; JPO;	3,07,10 17.10
DERWENT; IBM_TDB	2/27/10 17 01
148 2218822 image USPAT; 200 US-PGPUB; EPO; JPO;	3/07/18 17:01
DERWENT; IBM TDB	
149 164 (vanish\$4 near point) with image USPAT; US-PGPUB; EPO; JPO;	3/07/18 17:01
DERWENT; IBM TDB	
US-PGPUB;	3/07/18 17:20
EPO; JPO; DERWENT; IBM TDB	
153 - 6 (vanish\$4 near2 point) with selection USPAT; US-PGPUB; 200	3/07/18 17:22
EPO; JPO; DERWENT; IBM TDB	
154 97298 candidate USPĀT; 200 US-PGPUB;	3/07/18 17:21
EPO; JPO; DERWENT; IBM TDB	
155 14 (vanish\$4 near point) with candidate USPAT; US-PGPUB; 200	3/07/18 17:22
EPO; JPO; DERWENT; IBM TDB	

Search History 7/18/03 6:09:44 PM

			,	
156	830	(detect\$4 or determin\$4 or measur\$6 or sens\$4 or calculat\$4 or adjust\$4 or	USPAT; US-PGPUB;	2003/07/18 17:25
		<pre>compensat\$4) near6(angle or orientat\$4 or rotat\$4) with (focal near point)</pre>	EPO; JPO; DERWENT;	
160	631	vanish\$4 ADJ point	IBM_TDB USPAT; US-PGPUB;	2003/07/18 17:53
			EPO; JPO; DERWENT; IBM TDB	
161	20	(detect\$4 or determin\$4 or measur\$6 or sens\$4 or calculat\$4 or adjust\$4 or compensat\$4) near6(angle or orientat\$4 or rotat\$4) with (vanish\$4 ADJ point)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/18 17:51
162	41	<pre>(detect\$4 or determin\$4 or measur\$6 or sens\$4 or calculat\$4 or adjust\$4 or compensat\$4) near6(angle or orientat\$4 or rotat\$4) same (vanish\$4 ADJ point)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/07/18 17:51
163	4088509	candidate or selection or deci\$4 or multiple or many or var\$4	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/07/18 17:55
164	66	(candidate or selection or deci\$4 or multiple or many or var\$4) with (vanish\$4 near3 point)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/07/18 17:57
165	0	camera with alignment with vanish	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/07/18 17:58
166	12996	camera with (alignment or orient\$5)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/07/18 17:59
167	1196548	correction or adjustment or realign\$4	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/18 18:00
168	585	(camera with (alignment or orient\$5)) with (correction or adjustment or realign\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/18 18:01
169	0	<pre>((camera with (alignment or orient\$5)) with (correction or adjustment or realign\$4)) with (vanish\$4 near3 point)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/18 18:01
170	1398574	perspective or vanish\$3point or view\$3point or common\$point	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/18 18:03
171	10	((camera with (alignment or orient\$5)) with (correction or adjustment or realign\$4)) with (perspective or vanish\$3point or view\$3point or common\$point)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/18 18:08
172	12980	surveying	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/18 18:09

173	3068	surveying and (detect\$4 or determin\$4 or	USPAT;	2003/07/18 18:09
		measur\$6 or sens\$4 or calculat\$4 or	US-PGPUB;	ļ
		adjust\$4 or compensat\$4) near6(angle or	EPO; JPO;	
		orientat\$4 or rotat\$4)	DERWENT;	
i i			IBM TDB	i